

ESD sandal ARIZONA ESD Birko-Flor 89410, white, normal, 35



Due to its high wearing comfort and the anatomically shaped original cork-latex footbed, the two-strap sandal Arizona by BIRKENSTOCK is suitable for daily use at work. Thanks to its additional ESD equipment against spontaneous static discharges, the model is ideally suited for use in ESD areas. The combination of the footbed with the specially developed sole guarantees a permanently soft discharge and protects sensitive components. All BIRKENSTOCK ESD models are tested according to the specifications of DIN EN 61340 and meet the requirements in the ESD range from 1.0 x 105 to 3.5 x 107 Ohm.

Inner sole: Leather cover sole

The skin-friendly, flexible leather cover sole nestles gently against the foot and adapts to its contours. The open-pored and therefore particularly breathable surface ensures a pleasant foot climate even during vigorous physical activity.

- Anatomically shaped cork-latex footbed in ESD design
- Upper material: Birko-Flor®
- Details: individually adjustable metal buckles
- Cover sole: suede leather













- Sole: cushioning EVA outsole in ESD design
- ESD protection tested according to EN 61340

item number	WL29976
model	89410
manufacturer	BIRKENSTOCK
manufacturer item number	89410-35
length with packaging	350 mm
width with packaging	250 mm
height with packaging	150 mm
order unit	1 pair
content unit	1 pair
colour manufacturer	whitely
Colour	white
ESD-standard	DIN EN 61340
protective cap	no
shoe execution	sandal
shoe width	normal
features shoes	 Anatomically shaped cork-latex footbed in ESD design Upper material: Birko-Flor®. Details: individually adjustable metal pin buckles Cover sole: suede leather Cover sole: suede leather Sole: cushioning EVA outsole in ESD design
material shoes	velours
fitting	normal
shoe size EU	35
ESD safe	yes

Other versions

item number	shoe size EU
WL29976	35
WL29977	36
WL29978	37

Products for the electronic industry













WL29979	38
WL29980	39
WL29981	40
WL29982	41
WL29983	42
WL29984	43
WL29985	44
WL29986	45
WL29987	46
WL32997	47
WL68878	48









